

KT
CERAMICA

SHELLSTONE

STONE COLLECTION

Shellstone

PORCELANICO ESMALTADO LAPADO MATE 3D | 3D MATT LAPPATO PORCELAIN TILE

Lappato

23¾"x47¼" R | 60x120 R



Shellstone Natural Lapado Mt 3D 60x120 R | Cleft Shellstone Natural Lapado Mt 3D 60x120 R



Shellstone

PORCELANICO ESMALTADO LAPADO MATE 3D | 3D MATT LAPPATO PORCELAIN TILE



Shellstone Ivory Lapado Mate 3D 60x120 R LM460R



Shellstone Natural Lapado Mate 3D 60x120 R LM460R



Shellstone Pearl Lapado Mate 3D 60x120 R LM460R

Lappato

23¾"x47¼" R | 60x120 R



Cleft Shellstone Ivory Lapado Mate 3D 60x120 R LM460R



Cleft Shellstone Natural Lapado Mate 3D 60x120 R LM460R



Cleft Shellstone Pearl Lapado Mate 3D 60x120 R LM460R

CARACTERÍSTICAS TÉCNICAS | TECHNICAL CHARACTERISTICS

CLASIFICACIÓN ESTÁNDAR CONFORME UNE-14411 | STANDAR CLASSIFICATION ACORDING UNE-14411

PORCELÁNICO ESMALTADO (Bla) | GLAZED PORCELAIN TILE (Bla)

DESCRIPCIÓN DEL TEST TEST DESCRIPTION	VALOR DEL TEST TEST VALUE	STANDARD	KTL CERÁMICA
Absorción de agua Water absorbtion	Ev≤ 0,5%	UNE-EN ISO 10545-3	Cumple Complies
Fuerza de rotura Breaking Strength	≥1300 N	UNE-EN ISO 10545-4	Cumple Complies
Resistencia a la flexión Modulus of rupture	≥ 35 N/mm2	UNE-EN ISO 10545-4	Cumple Complies
Abrasión superficial Surface Abrasion	Según modelo According to model	UNE-EN-ISO 10545-7	Valor declarado Declared value
Resistencia al cuarteo Crazing resistance	Requerido Requested	UNE-EN ISO 10545-11	Cumple Complies
Resistencia a la helada Frost resistance	Requerido Requested	UNE-EN ISO 10545-12	Cumple Complies
Resistencia a las manchas Stain resistance	Mínimo clase 3 Minimum Class 3	UNE-EN ISO 10545-14	Cumple Complies

RESISTENCIA QUÍMICA | CHEMICAL RESISTANCE

Productos domésticos y de piscina Household chemicals and swimming pool salts	Mínimo clase B Minimum class B	UNE-EN ISO 10545-13	Cumple Complies
Ácidos a baja concentración Low concentration of acids	Mínimo clase LB Minimum class LB	UNE-EN ISO 10545-13	Valor declarado Declared value
Bases a baja concentración Low concentration of alkalis	Mínimo clase LB Minimum class LB	UNE-EN ISO 10545-13	Valor declarado Declared value

SYMBOLLOGY | SIMBOLOGÍA


NOVEDAD
NEW SERIES


S-TECH by KTL
S-TECH by KTL


PORCELÁNICO ESMALTADO
GLAZED PORCELAIN TILES


LAPADO MATE
MATT LAPPATO


RECTIFICADO
RECTIFIED


ANTIHIELO
ANTIFREEZE


DIFERENTES GRÁFICAS
DIFFERENT GRAPHICS


LIGERA VARIACIÓN
LIGHT VARIATION


PIEDRA by KTL
STONE by KTL

EMBALAJES Y PESOS | PACKING AND WEIGHT

● EUROPALET

Formato nominal Nominal size	Formato de trabajo Work size	PZAS/CJ	M2/CJ	KG/CJ	PZAS/M2	KG/M2	CJAS/PAL	M2/PAL	KG/PAL
60x120 R 23¾"x47¼" R	59,5x120 R	2	1,43	30,38	1,40	21,27	40	57,12	1.240

© Copyright KTL, S.L.U.

Reservados todos los derechos.

KTL se reserva el derecho de modificar las características de sus productos sin preaviso de ningún tipo.

Los acabados se dan a título indicativo, quedando bajo reserva los ajustes de los colores consecuencia de las técnicas de impresión. Por ello las fotografías de los productos expuestos no son contractuales.

All rights reserved.

KTL reserves the right to change the characteristics of its products without prior notice.

Information about the finishes of the goods is only provided as a guide. As a result of the printing techniques there might be differences between the colours printed in this catalogue and these of the real products. Colours shown in this catalogue are not contractual.



Partida Casablanca nº 6 / 12593 Moncofar, Castellón. Spain
Phone: +34 964 584 069 / e-mail: info@ktlceramica.com / web: www.ktlceramica.com